

Publication List - Agilent SureSelect Platform

Mendelian Diseases

- Al Badr W, Al Bader S, Otto E, Hildebrandt F, Ackley T, Peng W, Xu J, Li J, Owens KM, Bloom D, Innis JW. **Exome capture and massively parallel sequencing identifies a novel HPSE2 mutation in a Saudi Arabian child with Ochoa (urofacial) syndrome. J Pediatr Urol. 2011 Mar 28.**
- Ederly P, Marcaillou C, Sahbatou M, Labalme A, Chastang J, Touraine R, Tubacher E, Senni F, Bober MB, Nampoothiri S, Jouk PS, Steichen E, Berland S, Toutain A, Wise CA, Sanlaville D, Rousseau F, Clerget-Darpoux F, Leutenegger AL. **Association of TALS developmental disorder with defect in minor splicing component U4atac snRNA. Science. 2011 Apr 8;332(6026):240-3.**
- Tsurusaki Y, Osaka H, Hamanoue H, Shimbo H, Tsuji M, Doi H, Saitsu H, Matsumoto N, Miyake N. **Rapid detection of a mutation causing X-linked leucoencephalopathy by exome sequencing. J Med Genet. 2011 Mar 17.**
- Isidor B, Lindenbaum P, Pichon O, Bézieau S, Dina C, Jacquemont S, Martin-Coignard D, Thauvin-Robinet C, Le Merrer M, Mandel JL, David A, Faivre L, Cormier-Daire V, Redon R, Le Caignec C. **Truncating mutations in the last exon of NOTCH2 cause a rare skeletal disorder with osteoporosis. Nat Genet. 2011 Mar 6;43(4):306-8.**
- Liu Y, Gao M, Lv YM, Yang X, Ren YQ, Jiang T, Zhang X, Guo BR, Li M, Zhang Q, Zhang P, Zhou FS, Chen G, Yin XY, Zuo XB, Sun LD, Zheng XD, Zhang SM, Liu JJ, Zhou Y, Li YR, Wang J, Wang J, Yang HM, Yang S, Li RQ, Zhang XJ. **Confirmation by Exome Sequencing of the Pathogenic Role of NCSTN Mutations in Acne Inversa (Hidradenitis Suppurativa). J Invest Dermatol. 2011 Mar 24.**
- Simpson MA, Irving MD, Asilmaz E, Gray MJ, Dafou D, Elmslie FV, Mansour S, Holder SE, Brain CE, Burton BK, Kim KH, Pauli RM, Aftimos S, Stewart H, Kim CA, Holder-Espinasse M, Robertson SP, Drake WM, Trembath RC. **Mutations in NOTCH2 cause Hajdu-Cheney syndrome, a disorder of severe and progressive bone loss. Nat Genet. 2011 Mar 6;43(4):303-5.**
- Ku CS, Naidoo N, Pawitan Y. **Revisiting Mendelian disorders through exome sequencing. Hum Genet. 2011 Apr;129(4):351-70.**
- Zheng J, Miller KK, Yang T, Hildebrand MS, Shearer AE, Deluca AP, Scheetz TE, Drummond J, Scherer SE, Legan PK, Goodyear RJ, Richardson GP, Cheatham MA, Smith RJ, Dallos P. **Carcinoembryonic antigen-related cell adhesion molecule 16 interacts with {alpha}-tectorin and is mutated in autosomal dominant hearing loss (DFNA4). Proc Natl Acad Sci U S A. 2011 Mar 8;108(10):4218-23.**
- Becker J, Semler O, Gilissen C, Li Y, Bolz HJ, Giunta C, Bergmann C, Rohrbach M, Koerber F, Zimmermann K, de Vries P, Wirth B, Schoenau E, Wollnik B, Veltman JA, Hoischen A, Netzer C. **Exome Sequencing Identifies Truncating Mutations in Human SERPINF1 in Autosomal-Recessive Osteogenesis Imperfecta. Am J Hum Genet. 2011 Mar 11;88(3):362-71.**

- Ostergaard P, Simpson MA, Brice G, Mansour S, Connell FC, Onoufriadis A, Child AH, Hwang J, Kalidas K, Mortimer PS, Trembath R, Jeffery S. **Rapid identification of mutations in GJC2 in primary lymphoedema using whole exome sequencing combined with linkage analysis with delineation of the phenotype. J Med Genet. 2011 Apr;48(4):251-5.**
- Montenegro G, Powell E, Huang J, Speziani F, Edwards YJ, Beecham G, Hulme W, Siskind C, Vance J, Shy M, Züchner S. **Exome sequencing allows for rapid gene identification in a Charcot-Marie-Tooth family. Ann Neurol. 2011 Mar;69(3):464-70.**
- Caliskan M, Chong JX, Uricchio L, Anderson R, Chen P, Sougnez C, Garimella K, Gabriel SB, Depristo MA, Shakir K, Matern D, Das S, Waggoner D, Nicolae DL, Ober C. **Exome sequencing reveals a novel mutation for autosomal recessive non-syndromic mental retardation in the TECR gene on chromosome 19p13. Hum Mol Genet. 2011 Jan 13.**
- Bolze A, Byun M, McDonald D, Morgan NV, Abhyankar A, Premkumar L, Puel A, Bacon CM, Rieux-Laucat F, Pang K, Britland A, Abel L, Cant A, Maher ER, Riedl SJ, Hambleton S, Casanova JL. **Whole-exome resequencing-based discovery of human FADD deficiency. Am J Hum Genet. 2010 Dec 10;87(6):873-81.**
- Johnson JO, Mandrioli J, Benatar M, Abramzon Y, Van Deerlin VM, Trojanowski JQ, Gibbs JR, Brunetti M, Gronka S, Wu J, Ding J, McCluskey L, Martinez-Lage M, Falcone D, Hernandez DG, Arepalli S, Chong S, Schymick JC, Rothstein J, Landi F, Wang YD, Calvo A, Mora G, Sabatelli M, Monsurro MR, Battistini S, Salvi F, Spataro R, Sola P, Borghero G; ITALSGEN Consortium, Galassi G, Scholz SW, Taylor JP, Restagno G, Chiò A, Traynor BJ. **Exome sequencing reveals VCP mutations as a cause of familial ALS. Neuron. 2010 Dec 9;68(5):857-64.**
- Haack TB, Danhauser K, Haberberger B, Hoser J, Strecker V, Boehm D, Uziel G, Lamantea E, Invernizzi F, Poulton J, Rolinski B, Iuso A, Biskup S, Schmidt T, Mewes HW, Wittig I, Meitinger T, Zeviani M, Prokisch H. **Exome sequencing identifies ACAD9 mutations as a cause of complex I deficiency. Nat Genet. 2010 Dec;42(12):1131-4.**
- Vissers LE, de Ligt J, Gilissen C, Janssen I, Steehouwer M, de Vries P, van Lier B, Arts P, Wieskamp N, Del Rosario M, van Bon BW, Hoischen A, de Vries BB, Brunner HG, Veltman JA. **A de novo paradigm for mental retardation. Nat Genet. 2010 Dec;42(12):1109-12.**
- Krawitz PM, Schweiger MR, Rödelberger C, Marcelis C, Kölsch U, Meisel C, Stephani F, Kinoshita T, Murakami Y, Bauer S, Isau M, Fischer A, Dahl A, Kerick M, Hecht J, Köhler S, Jäger M, Grünhagen J, de Condor BJ, Doelken S, Brunner HG, Meinecke P, Passarge E, Thompson MD, Cole DE, Horn D, Roscioli T, Mundlos S, Robinson PN. **Identity-by-descent filtering of exome sequence data identifies PIGV mutations in hyperphosphatasia mental retardation syndrome. Nat Genet. 2010 Oct;42(10):827-9.**
- Anastasio N, Ben-Omran T, Teebi A, Ha KC, Lalonde E, Ali R, Almureikhi M, Der Kaloustian VM, Liu J, Rosenblatt DS, Majewski J, Jerome-Majewska LA. **Mutations in SCARF2 are responsible for Van Den Ende-Gupta syndrome. Am J Hum Genet. 2010 Oct 8;87(4):553-9.**

- Bowden DW, An SS, Palmer ND, Brown WM, Norris JM, Haffner SM, Hawkins GA, Guo X, Rotter JI, Chen YD, Wagenknecht LE, Langefeld CD. **Molecular basis of a linkage peak: exome sequencing and family-based analysis identify a rare genetic variant in the ADIPOQ gene in the IRAS Family Study.** *Hum Mol Genet.* 2010 Oct 15;19(20):4112-20.
- Byun M, Abhyankar A, Lelarge V, Plancoulaine S, Palanduz A, Telhan L, Boisson B, Picard C, Dewell S, Zhao C, Jouanguy E, Feske S, Abel L, Casanova JL. **Whole-exome sequencing-based discovery of STIM1 deficiency in a child with fatal classic Kaposi sarcoma.** *J Exp Med.* 2010 Oct 25;207(11):2307-12.
- Gilissen C, Arts HH, Hoischen A, Spruijt L, Mans DA, Arts P, van Lier B, Steehouwer M, van Reeuwijk J, Kant SG, Roepman R, Knoers NV, Veltman JA, Brunner HG. **Exome sequencing identifies WDR35 variants involved in Sensenbrenner syndrome.** *Am J Hum Genet.* 2010 Sep 10;87(3):418-23.
- Ng SB, Bigham AW, Buckingham KJ, Hannibal MC, McMillin MJ, Gildersleeve HI, Beck AE, Tabor HK, Cooper GM, Mefford HC, Lee C, Turner EH, Smith JD, Rieder MJ, Yoshiura K, Matsumoto N, Ohta T, Niikawa N, Nickerson DA, Bamshad MJ, Shendure J. **Exome sequencing identifies MLL2 mutations as a cause of Kabuki syndrome.** *Nat Genet.* 2010 Sep;42(9):790-3.
- Lalonde E, Albrecht S, Ha KC, Jacob K, Bolduc N, Polychronakos C, Dechelotte P, Majewski J, Jabado N. **Unexpected allelic heterogeneity and spectrum of mutations in Fowler syndrome revealed by next-generation exome sequencing.** *Hum Mutat.* 2010 Aug;31(8):918-23.
- Pierce SB, Walsh T, Chisholm KM, Lee MK, Thornton AM, Fiumara A, Opitz JM, Levy-Lahad E, Klevit RE, King MC. **Mutations in the DBP-deficiency protein HSD17B4 cause ovarian dysgenesis, hearing loss, and ataxia of Perrault Syndrome.** *Am J Hum Genet.* 2010 Aug 13;87(2):282-8.
- Sun Y, Almomani R, Aten E, Celli J, van der Heijden J, Venselaar H, Robertson SP, Baroncini A, Franco B, Basel-Vanagaite L, Horii E, Drut R, Ariyurek Y, den Dunnen JT, Breuning MH. **Terminal osseous dysplasia is caused by a single recurrent mutation in the FLNA gene.** *Am J Hum Genet.* 2010 Jul 9;87(1):146-53.
- Walsh T, Shahin H, Elkan-Miller T, Lee MK, Thornton AM, Roeb W, Abu Rayyan A, Loulus S, Avraham KB, King MC, Kanaan M. **Whole exome sequencing and homozygosity mapping identify mutation in the cell polarity protein GPSM2 as the cause of nonsyndromic hearing loss DFNB82.** *Am J Hum Genet.* 2010 Jul 9;87(1):90-4.
- Hoischen A, van Bon BW, Gilissen C, Arts P, van Lier B, Steehouwer M, de Vries P, de Reuver R, Wieskamp N, Mortier G, Devriendt K, Amorim MZ, Revencu N, Kidd A, Barbosa M, Turner A, Smith J, Oley C, Henderson A, Hayes IM, Thompson EM, Brunner HG, de Vries BB, Veltman JA. **De novo mutations of SETBP1 cause Schinzel-Giedion syndrome.** *Nat Genet.* 2010 Jun;42(6):483-5.
- Johnston JJ, Teer JK, Cherukuri PF, Hansen NF, Loftus SK; NIH Intramural Sequencing Center, Chong K, Mullikin JC, Biesecker LG. **Massively parallel sequencing of exons on the X chromosome identifies RBM10 as the gene that causes a syndromic form of cleft palate.** *Am J Hum Genet.* 2010 May 14;86(5):743-8.

Ng SB, Buckingham KJ, Lee C, Bigham AW, Tabor HK, Dent KM, Huff CD, Shannon PT, Jabs EW, Nickerson DA, Shendure J, Bamshad MJ. **Exome sequencing identifies the cause of a mendelian disorder.** *Nat Genet.* 2010 Jan;42(1):30-5.

Complex Diseases

Varela I, Tarpey P, Raine K, Huang D, Ong CK, Stephens P, Davies H, Jones D, Lin ML, Teague J, Bignell G, Butler A, Cho J, Dalgliesh GL, Galappaththige D, Greenman C, Hardy C, Jia M, Latimer C, Lau KW, Marshall J, McLaren S, Menzies A, Mudie L, Stebbings L, Largaespada DA, A Wessels LF, Richard S, Kahnoski RJ, Anema J, A Tuveson D, Perez-Mancera PA, Mustonen V, Fischer A, Adams DJ, Rust A, Chan-On W, Subimerb C, Dykema K, Furge K, Campbell PJ, Teh BT, Stratton MR, Futreal PA. **Exome sequencing identifies frequent mutation of the SWI/SNF complex gene PBRM1 in renal carcinoma.** *Nature.* 2011 Jan 19.

Timmermann B, Kerick M, Roehr C, Fischer A, Isau M, Boerno ST, Wunderlich A, Barmeyer C, Seemann P, Koenig J, Lappe M, Kuss AW, Garshasbi M, Bertram L, Trappe K, Werber M, Herrmann BG, Zatloukal K, Lehrach H, Schweiger MR. **Somatic mutation profiles of MSI and MSS colorectal cancer identified by whole exome next generation sequencing and bioinformatics analysis.** *PLoS One.* 2010 Dec 22;5(12):e15661.

Musunuru K, Pirruccello JP, Do R, Peloso GM, Guiducci C, Sougnez C, Garimella KV, Fisher S, Abreu J, Barry AJ, Fennell T, Banks E, Ambrogio L, Cibulskis K, Kernytsky A, Gonzalez E, Rudzicz N, Engert JC, DePristo MA, Daly MJ, Cohen JC, Hobbs HH, Altshuler D, Schonfeld G, Gabriel SB, Yue P, Kathiresan S. **Exome sequencing, ANGPTL3 mutations, and familial combined hypolipidemia.** *N Engl J Med.* 2010 Dec 2;363(23):2220-7.

Nazarian R, Shi H, Wang Q, Kong X, Koya RC, Lee H, Chen Z, Lee MK, Attar N, Sazegar H, Chodon T, Nelson SF, McArthur G, Sosman JA, Ribas A, Lo RS. **Melanomas acquire resistance to B-RAF(V600E) inhibition by RTK or N-RAS upregulation.** *Nature.* 2010 Nov 24

Jones S, Wang TL, Shih IeM, Mao TL, Nakayama K, Roden R, Glas R, Slamon D, Diaz LA Jr, Vogelstein B, Kinzler KW, Velculescu VE, Papadopoulos N. **Frequent mutations of chromatin remodeling gene ARID1A in ovarian clear cell carcinoma.** *Science.* 2010 Oct 8;330(6001):228-31.

Makishima H, Jankowska AM, Tiu RV, Szpurka H, Sugimoto Y, Hu Z, Sauntharajah Y, Guinta K, Keddache MA, Putnam P, Sekeres MA, Moliterno AR, List AF, McDevitt MA, Maciejewski JP. **Novel homo- and hemizygous mutations in EZH2 in myeloid malignancies.** *Leukemia.* 2010 Oct;24(10):1799-804.

Van Vlierberghe P, Palomero T, Khiabani H, Van der Meulen J, Castillo M, Van Roy N, De Moerloose B, Philippé J, González-García S, Toribio ML, Taghon T, Zuurbier L, Cauwelier B, Harrison CJ, Schwab C, Pisecker M, Strehl S, Langerak AW, Gecz J, Sonneveld E, Pieters R, Paietta E, Rowe JM, Wiernik PH, Benoit Y, Soulier J, Poppe B, Yao X, Cordon-Cardo C, Meijerink J, Rabadan R, Speleman F, Ferrando A. **PHF6 mutations in T-cell acute lymphoblastic leukemia.** *Nat Genet.* 2010 Apr;42(4):338-42.

Clinical Research

- Bell CJ, Dinwiddie DL, Miller NA, Hateley SL, Ganusova EE, Mudge J, Langley RJ, Zhang L, Lee CC, Schilkey FD, Sheth V, Woodward JE, Peckham HE, Schroth GP, Kim RW, Kingsmore SF. **Carrier testing for severe childhood recessive diseases by next-generation sequencing.** *Sci Transl Med.* 2011 Jan 12;3(65):65ra4.
- Shearer AE, Deluca AP, Hildebrand MS, Taylor KR, Gurrola J 2nd, Scherer S, Scheetz TE, Smith RJ. **Comprehensive genetic testing for hereditary hearing loss using massively parallel sequencing.** *Proc Natl Acad Sci U S A.* 2010 Dec 7;107(49):21104-9.
- Wesolowska A, Dalgaard MD, Borst L, Gautier L, Bak M, Weinhold N, Nielsen BF, Helt LR, Audouze K, Nersting J, Tommerup N, Brunak S, Sicheritz-Ponten T, Leffers H, Schmiegelow K, Gupta R. **Cost-effective multiplexing before capture allows screening of 25 000 clinically relevant SNPs in childhood acute lymphoblastic leukemia.** *Leukemia.* 2011 Mar 18.
- Chmielecki J, Peifer M, Jia P, Socci ND, Hutchinson K, Viale A, Zhao Z, Thomas RK, Pao W. **Targeted next-generation sequencing of DNA regions proximal to a conserved GXGXXG signaling motif enables systematic discovery of tyrosine kinase fusions in cancer.** *Nucleic Acids Res.* 2010 Nov 1;38(20):6985-96.
- Bonnefond A, Durand E, Sand O, De Graeve F, Gallina S, Busiah K, Lobbens S, Simon A, Bellanné-Chantelot C, Létourneau L, Scharfmann R, Delplanque J, Sladek R, Polak M, Vaxillaire M, Froguel P. **Molecular diagnosis of neonatal diabetes mellitus using next-generation sequencing of the whole exome.** *PLoS One.* 2010 Oct 26;5(10):e13630.
- Walsh T, Lee MK, Casadei S, Thornton AM, Stray SM, Pennil C, Nord AS, Mandell JB, Swisher EM, King MC. **Detection of inherited mutations for breast and ovarian cancer using genomic capture and massively parallel sequencing.** *Proc Natl Acad Sci U S A.* 2010 Jul 13;107(28):12629-33.

RNA Enrichment

- Ozsolak F, Milos PM. **RNA sequencing: advances, challenges and opportunities.** *Nat Rev Genet.* 2011 Feb;12(2):87-98.

Automation

- Fisher S, Barry A, Abreu J, Minie B, Delorey TM, Fennell TJ, Allen A, Ambrogio L, Berlin AM, Blumenstiel B, Cibulskis K, Friedrich D, Johnson R, Juhn F, Nolan J, Reilly B, Shammass R, Stalker J, Sykes SM, Thompson J, Walsh J, Young G, Zimmer A, Zwirko Z, Gabriel S, Nicol R, Nusbaum C. **A scalable, fully automated process for construction of sequence-ready human exome targeted capture libraries.** *Genome Biol.* 2011 Jan 4;12(1):R1.

Other

- Bansal V, Tewhey R, Leproust EM, Schork NJ. **Efficient and cost effective population resequencing by pooling and in-solution hybridization. PLoS One. 2011 Mar 30;6(3):e18353.**
- Rödelsperger C, Krawitz P, Bauer S, Hecht J, Bigham AW, Bamshad M, de Condor BJ, Schweiger MR, Robinson PN. **Identity-by-descent filtering of exome sequence data for disease-gene identification in autosomal recessive disorders. Bioinformatics. 2011 Mar 15;27(6):829-36.**
- Coffey AJ, Kokocinski F, Calafato MS, Scott CE, Palta P, Drury E, Joyce CJ, Leproust EM, Harrow J, Hunt S, Lehesjoki AE, Turner DJ, Hubbard TJ, Palotie A. **The GENCODE exome: sequencing the complete human exome. Eur J Hum Genet. 2011 Mar 2.**
- Perry GH, Marioni JC, Melsted P, Gilad Y. **Genomic-scale capture and sequencing of endogenous DNA from feces. Mol Ecol. 2010 Dec;19(24):5332-44.**
- Kenny EM, Cormican P, Gilks WP, Gates AS, O'Dushlaine CT, Pinto C, Corvin AP, Gill M, Morris DW. **Multiplex Target Enrichment Using DNA Indexing for Ultra-High Throughput SNP Detection. DNA Res. 2010 Dec 16.**
- Cummings N, King R, Rickers A, Kaspi A, Lunke S, Haviv I, Jowett JB. **Combining target enrichment with barcode multiplexing for high throughput SNP discovery. BMC Genomics. 2010 Nov 18;11(1):641.**
- Buehler B, Hogrefe HH, Scott G, Ravi H, Pabón-Peña C, O'Brien S, Formosa R, Happe S. **Rapid quantification of DNA libraries for next-generation sequencing. Methods. 2010 Apr;50(4):S15-8.**
- Ng SB, Turner EH, Robertson PD, Flygare SD, Bigham AW, Lee C, Shaffer T, Wong M, Bhattacharjee A, Eichler EE, Bamshad M, Nickerson DA, Shendure J. **Targeted capture and massively parallel sequencing of 12 human exomes. Nature. 2009 Sep 10;461(7261):272-6.**
- Tewhey R, Nakano M, Wang X, Pabón-Peña C, Novak B, Giuffre A, Lin E, Happe S, Roberts DN, LeProust EM, Topol EJ, Harismendy O, Frazer KA. **Enrichment of sequencing targets from the human genome by solution hybridization. Genome Biol. 2009;10(10):R116.**
- Gnirke A, Melnikov A, Maguire J, Rogov P, LeProust EM, Brockman W, Fennell T, Giannoukos G, Fisher S, Russ C, Gabriel S, Jaffe DB, Lander ES, Nusbaum C. **Solution hybrid selection with ultra-long oligonucleotides for massively parallel targeted sequencing. Nat Biotechnol. 2009 Feb;27(2):182-9.**